


WIRE MESH



VIBRATING SCREEN

Our Heavy Duty Wire Mesh Screens are specially manufactured for extremely rugged operating conditions in scalping, sizing or processing heavy abrasive materials such as ores, crushed stones, sand, gravel, metallic and non metallic minerals, coal slag etc.

The screens are manufactured in Spring Steel, Mild Steel, GI Wires and Stainless Steel to suite particular applications.

Screens are woven accurately to any mesh size and of any diameter wire or rod to meet your specific requirement.



COARSE WIRE MESH


Apertures: 4mm and greater, square or rectangular.

Finish: As woven or with edge preparation.


Construction: Woven from pre-crimped wires.

Materials: Carbon steel/Spring steel/Galv mild steel/Stainless steel.

Applications: Cement Industry. : Stone crushers. : Coal feeders. : Machinery Belt guards. : Component trays.



Common Aperture widths (mm)	General Wire diameter (mm)
4x4	2.0
6x6	2.5
10x10	3.0
12x12	4.0
16x16	4.0
19x19	5.0
22x22	5.0
25x25	6.0
40x40	6.0
50x50	7.0



CRIMPED WIRE MESH

Pre-crimped Weave Styles of Wire Cloth Weaving






Pre-Crimped wire mesh is made of wire Dia (6G to 18G). It can be used for windows, Verandas, Partitions, Counter Shelves. It has several industrial uses like heavy screening & Sieving of coal mines etc.

In the pre-crimping process, wire is first formed (crimped) in precision machines using rotary dies that precisely define the spacing of the wires and insure that the wires will lock firmly together at the intersections. The pre-crimped wires are then assembled in custom designed screen assembly machines (looms).

When open area is important. Extra crimps between the intersections provide a more rigid weave and provide locking and tightness for light wires in relation to the large openings.

Accurate & consistent, Square & rectangular. Opening from 3 / 8" to 4" with Wire Rods upto 20mm in Stainless Steel, Spring Steel, High Carbon High Tensile, G.I. & M.S. Wire etc.

Pre-crimped wire cloth has very accurate openings and is woven much tighter than plain weave. It is typically preferred for vibrating screens and many other applications where sizing is critical.





Double Crimped Wire Mesh

With rich industry experience, we are passionately engaged in manufacturing, exporting and supplying a splendid range of **Double Dinner Bowl**. This product is applicable in various domestic and commercial places. Our offered bowlis designed by inculcating latest sculpting and modeling techniques at our sophisticated infrastructure unit. Moreover, clients can easily avail this product in variety of specifications at market leading prices.

Features:

- Attractive designs
- Superior finish
- Appealing look



Square Mesh

Backed with modern technology and diligent team of professionals, we are able to manufacture and export a wide range of square mesh. These are precisely fabricated under the supervision of our professionals as per the details of our valued clients. Available with customized solutions, our range is very effective and durable. They are capable to suit the dynamic demands of construction and engineering industries.



Crushers Screen Mesh


we offers Mining screen mesh, Quarry screen mesh, Industrial screen mesh, Sand/Gravel/Aggregate screen mesh, Hooked screen mesh, Rock crusher sieve mesh, Vibrating screen mesh, Trommel screen, vibration process, Screen deck mesh
HS code: 7314490000

Certified by: ISO 9001-2001, CE, SGS

Weaving: Crimps, Double Crimp, Lock Crimp, Corrugated Crimp
Type: Hooked or flat

Wire dia: 1.5 mm --- 14.0 mm Opening: 2.0 mm --- 110 mm

Width: 1.22M-1.52M



S.S. Wire Mesh

S.S.Wire-mesh cartridges are made from S.S. wire-mesh media by pleating it to give more surface area. The cartridge can be made by welding technology or by using epoxy joints, depending on the applications. Wire thickness is the limit of wire-mesh media. Technology limit dose not permit to make wire-mesh media using less than 30 micron wire diameter. Hence, as you go less micron rating, percentage of pore opening (void volume) going down.

Stainless Steel Wire Mesh

We are one of the leading manufacturer, exporter and supplier of a comprehensive range of Stainless Steel Wire Mesh. The offered product is extensively reckoned among our clients due its properties. In order to ensure unmatched quality and durability, it is carved out from superior quality stainless steel. In addition, the product is available in standard as well as customized form at economical prices.



Lotus House (HEAD OFFICE)

Lotus Enclave (FACTORY)



KAMAL IMPORT EXPORTS INC

Head Office: 'Lotus' House, Plot No. 21, Behind Hotel Sai Palace, Chetnanagar, Mumbai-Agra Road, Nasik - 422 009, Maharashtra, India.

Telephone: 91 253 2375703, + 91 98220 94605 **Fax:** + 91 253 2375704

Email: rajvarma-ip@eth.net | info@kamalimpex.com | info@lotushammers.com

Website: www.lotushammers.com